FIG. 1

- IPersistFile 20
- Persistence Controller Interface (IPersistenceController) 22
- COM Persistence Controller 24
- Persistent Object Registry 26
- 27
- IUnknown 28
- Persistent Object Factory Interface 30
- COM Persistent Object Factory 32
- Type Specific Factories 34
- 35
- IPersistStream 36
- Persistent Object Interface 38
- 46 COM Persistence Reference
- COM Persistent Object 40
- COM Persistent Reference Base 48
- User Object Definitions 42
- User Object Interfaces 44
- 54
- 49
- 33

FIG. 2

OID for Adding a persistent object to a COM Persistent Object Controller

COM Persistent Object ~ 40

QueryInterface — 108

SetIdentity — 110

GetIdentity — 116

GetClassID — 122

Persistent Object Registry ~ 26

RegisterObject — 102

106

112

AddObjectByID — 114

118

AddObjectByClassID — 120

124

AddObjectByUnknown — 126

130

COM Persistence Controller ~ 24

RegisterObject — 100

104

132

Return From 126

Persistent Object Registry 26

FIG. 3A
FIG. 3B

COM: Win 32

StgCreateDocFile — 204

A Storage

SetClass — 206

CreateStream — 208

SaveObjects (stream) — 210

SaveRegistry — 214

○ — 230
○ — 232
○ — 234
○ — 236
○ — 238
○ — 240
○ — 242
○ — 246

COM Persistent Object Controller 24

Save(Filename) — 200

202

212

216

218 — Return From 26

OID for Saving a Persistent Registered COM Object Part 1

FIG. 3A

FIG. 3B

OID for Saving a Persistent Registered COM
Object, Part 2

OID for Loading COM Objects from A Storage into
a COM Presistent Object Controller, Part 1

FIG. 4A

FIG. 4A
FIG. 4B
FIG. 4C

COM Persistence Controller

COM: Win32

OpenStorage — 302

AStorage — 306

OpenStream

Persistent Object Registry 26

LoadObjects — 320

InitCollections — 322

LoadRegistry — 324

LOAD — 300

304

308

314

316

326

330

334

336

A Stream

Read(nClsIDs) — 328

Read(clsid) — 332

Read(nObjects) — 334

COM: Win32

CoCreate
Instance(clsid) — 338

A Stream

Read 356
Read 360
Read 382

COM Persistent
Object 40

Load(stream) 352
LOAD1 358
Load(Return) 362

354

Persistent Object
Registry 26

350

363

RegisterLoaded
Object 364
AddObjectByID 366
AddObjectByClsID 370
AddObjectByUnknown 374

GetID 368
GetClassID 372

376
378
380

COM
Persistence
Controller 24

OID for Loading COM Objects from
a storage into a COM presistent
Object Controller, Part 2

FIG. 4B

OID for Loading COM Objects from a storage into
a COM Presistent Object Controller, Part 3

FIG. 4C

Persistent Object
Registry 26

Resolve
References — 400

COM Persistent
Object 40

402

Resolve
References — 404

406

408

Persistent Object
Registry 26

Resolve
References — 410

COM
Persistence
Controller 24

FindObject — 412

414

RETURN — 416